

**Proven
Performance**

McCloskey INTERNATIONAL **621**



621 High Performance Trommel

The 621 Trommel Screener is suited for large heavy duty applications where production rates can reach 200+ tph in topsoil and sticky material or 300tph in sand and gravel.

“The McCloskey Trommel Screens are simply awesome in their throughput, speed and ease of use. Our new 621 processes 150 tonnes of lightweight compost material, per hour, separating oversize, blending, and aerating in a single operation to produce a top quality, clean, green, peat free product in demand by the horticultural industry and domestic gardener alike.”

Andy Foster
Site Supervisor, White Moss Horticultural Ltd, England



Options

Livehead.



Tracks.



De-stoning belt.



Vacuum system.



Drum

- Standard
- Heavy duty
- Smooth aggregate
- Punch plate



Features & benefits

Powerunit-

New ground level powerunit features 174Hp CAT Teir III engine with LCD display and automatic emergency shutdowns.

Feed Conveyor -

New 42" wide feed conveyor fitted with internal drive replaces external chain drive system to improve maintenance.

Chassis -

New design chassis complete with tandem or tri-axle running gear and mounts a larger 320 US gal diesel fuel tank.



Adjustable Brushes -

User friendly ground level adjustable brushes.

Oversize Conveyor -

New 36" wide oversize reject conveyor at the end of the trommel offering magnetic pulley, vacuum system and high speed de-stoning belt.





621 Dimensions and weight

Trommel Screen - 1.8m x 6.4 (6ft diameter x 21ft long)
 Weight - 27,796kgs (61,280lbs)
 Height transport - 4.10m (13'- 6")
 Length transport - 18.24m (60')
 Width transport - 2.60m (8' - 6")

Working Dimensions

Height working - 4.61m (15'- 1.5")
 Length working - 29.37m (96'- 4.3")
 Width working - 2.60m (8'- 6.4")

See it in action...

www.mccloskeyinternational.com



N.America & S.America
 #1 McCloskey Road, RR#7
 Peterborough, Ontario Canada,
 K9J 6X8
 Toll Free 1-877-876 6635
 T (705) 295-4925
 F (705) 295-4777
mccloskey@mccloskeyinternational.com

UK & International
 47 Moor Road,
 Coalisland,
 Co Tyrone,
 N.Ireland BT71 4QB
 T +44 (0) 2887-740-926
 F +44 (0) 2887-747-242
salesuk@mccloskeyinternational.com

Authorized dealer.

McCloskey International reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. McCloskey International assumes no liability resulting from errors or omissions in this document.



Durability

Branded components throughout, including CAT Engine.
 High efficiency diesel hydraulic system allows higher throughput and lower fuel consumption.
 4 wheel drive system eliminating chain drives.
 Vulcanized belts with high quality scrapers.



Maintenance/User friendly

Remote control radial conveyor.
 Accessible engine bays at ground level.
 Universal user friendly controls throughout the McCloskey line.
 Quick setup time.
 Highly maneuverable on site.
 Unique user friendly belt adjusters.



Chain free design.
 Ground level grease points.
 Stabilizer support legs.